UNIVERSITY OF SOUTH FLORIDA

DIVISION OF COMPARATIVE MEDICINE
DISASTER RESPONSE PLAN

I. Introduction/Purpose of Plan

This Division of Comparative Medicine Disaster Response Plan is intended to establish policies, procedures and organizational structure for responding to emergencies that are of a magnitude that can cause a significant disruption of the function of some portions of the

2. Orders to dismiss or return to duty will be channeled according to the chain of command from upper management. Management is responsible for seeing that all employees are properly notified. Persons making within-facilities notification should check all work-related locations for employees, researchers, and maintenance personnel who might be missed.

3. If there is an extended emergency, employees must call the USF emergency hotline 1-800-992-4231 phone number that has been established. This number will contain updated messages and announcements regarding emergency status. Employees should listen to the radio for messages and announcements

X. APPENDICES

A. Comparative Medicine Telephone Contacts

- Emergency Telephone Contact Sequence
- SC# 027 Comparative Medicine Telephone Contacts
- CMDC #263 Emergency Operations Response Timeline Checklist- Weather
- CMDC #269 Emergency Operations Response Timeline Checklist- Pandemic

B. University of South Florida Hurricane Information

- Hurricane Emergency Preparedness
- Preparing Your Office for a Hurricane
- Preparing Your Laboratory for a Hurricane
- 2019 USF Hurricane Guide

C. University of South Florida Emergency Procedures –by Category

- Active Threat
- Bomb Threat/Explosion
-

TELEPHONE CONTACTS
UNIVERSITY OF SOUTH FLORIDA

AGENCY/NAME	WORK HOURS	AFTER HOURS
USF Police	974-2628 non emergency	911emergency
Emergency Management	For Emergencies call 911	
Interim Director (Ray Miller)	974-5457	
Emergency Coordinator (Andrea Davis)	974-9662	
Emergency Coordinator (Colin Burns)	974-1484	
Facilities Management Service Center		
Operations Manager (Antonio Morales)	974-4037	974-2845
USF Environmental Health & Safety	974-4036	EMG 911 974-4036
Director (Bill Land)	974-0872	974-2628
Associate Director (Wilson Bull)	974-0869	974-2628
Assistant Director (Tom Bradley)	974-7986	974-2628
USF Radiation Safety Office		
Radiation Safety Manager (Adam Weaver)	974-1194	727-479-4740 (cell)
USF Physical Plant		
Work Management	974-2845	974-2845
Division of Research Integrity & Compliance		
RIC Director (Jason Ramage)	974-2302	
IACUC Manager (Farah Moulvi)	974-0954	469-1625 (cell)
IACUC Chair (Jay Dean)	974-1547	416-8061 (cell)
Public Affairs (HSC)		
USF Heath Office of Communications	974-3300	

Division of Public Safety http://usfweb2.usf.edu/Adminsvc/publicsafety/

Tampa Campus		
Emergency Information line	1-800-992-4231	USF hotline is updated with pre-recorded information during an emergency & may be operated by staff if situation necessitates
Saint Petersburg Campus		
Emergency Information Line	727-873-4636	
USFSP Facilities Services		

TELEPHONE CONTACTS
FACILITIES

AGENCY/NAME	WORK HOURS	AFTER HOURS
ALZ USF Health Neuroscience Institute		
Security	974-2417	974-2628
Building Manager (Michael Andrews)	912-220-8466(cell)	912-220-8466 (cell)
Facility Support Technician (Mike Foster)	813-344-6829 (cell)	813-344-6829 (cell)
Facility Support Technician (Rafik Ammari)	813-455-1713 (cell)	813-455-1713 (cell)
Property Manager (The Wilson Company) 24/7	445-8735 (USF5)	445-8735 (USF5)
CAMLS Center for Advanced Medical Learning & Simulation		
Security (24/7)	625-5484 (cell)	625-5484 (cell)
Facilities Director (Michael Andrews)	912-220-8466 (cell)	912-220-8466 (cell)
Property Manager (The Wilson Company) 24/7	445-8735 (USF5)	445-8735 (USF5)
Housekeeping		

TELEPHONE CONTACTS

FACILITIES

AGENCY/NAME	WORK HOURS	AFTER HOURS
IDRB/BPB Interdisciplinary Research Building/Business Partnership Building		
Security	974-2417	974-2628
Building Manager (John Kersh)	974-0271	

PHYSICAL PLANT CONTACTS FOR ALL FACILITIES
Division of Comparative Medicine

Facility	Contacts during regular working hours	Contacts after hours/holidays	Does m anager have key access to facility in event of power failure?
ALZ	Rafik Ammari 813-455-1713 (cell) Micahel Andrews 912-220-8466 (cell) Mike Foster 813-344-6829 (cell)-TWC The Wilson Company 813-445-8735 (USF5)	Rafik Ammari 813-455-1713 (cell) Michael Andrews 912-220-8466 (cell) Mike Foster 813-344-6829 (cell)-TWC The Wilson Company 813-445-8735 (USF5)	Yes
CAMLS	Micahel Andrews 912-220-8466 (cell) The Wilson Company 813-445-8735 (USF5)	Micahel Andrews 912-220-8466 (cell) The Wilson Company 813-445-8735 (USF5)	No, 24/7on-site security 625-5484 (cell) Micahel Andrews 912-220-8466 (cell) The Wilson Company 813-445-8735 (USF5)
COM	974-2845	974-2845 (service will contact on call personnel)	No-- Call USF campus police @ 974-2628
CPH	974-2845	974-2845 (service will contact on call personnel)	No Call USF campus police @ 974-2628
FKML	Lisa Tipsword @ 305-664-9101	Lisa Tipsword @ 305-289-1897 (home) @ 305-731-6364 (cell)	No Call Lisa Tipsword @ 305-731-6364(cell)
IDRB & BPB	John Kersh @ 974-0271 Emergency (24/7) 1-800-723-3230	John Kersh @ 927-4329 (cell) Rick Means @345-6294 (cell)	No- Call John Kersh @ 927-4329 (cell)
ISA	974-2845	974-2845 (service will contact on call personnel)	No Call USF campus police @ 974-2628
KOC & CRI	USFSP Operations & Maintenance on call cell (24/7) @ 727-510-6890	Emergency on-call cell @ 727-510-6890 Director, Physical Plant John Dickson @ 727-873-4350	KOC—yes CRI—No USF St. Pete police (public safety) @ 727-873-4140
MDD	Michael Andrews @ 912-220-8466 The Wilson Company 813-445-8735 (USF5)	Michael Andrews @ 912-220-8466 The Wilson Company 813-445-8735 (USF5)	Yes But can also contact 912-220-8466 Building Maintenance 727-480-0861 Security The Wilson Company 813-445-8735 (USF5)
PMBRC	Joel Beaver @ 941-487-4389 Brandan Cole @ 941-487-4544	Joel Beaver @ 941-737-3569	Yes
PSY	974-2845	974-2845 (service will contact on call personnel)	No Call USF campus Police @ 974-2628

SRB	Security 813-745-3000 Facilities 813-745-3000	Security 813-745-3000 Facilities 813-745-3000	No—contac Q q Ŕ -ie 0m4 Tm67 Tc 0 T4ET EMC

3. Designated animal care staff may be assigned on a rotating basis.

4. The facility manager may call in additional staff as required by the severity of the emergency.

C. Tasks of ERT

D. Personal Protective Clothing and Supplies

1. Emergency kits containing a battery operated radio for information, a pair of two-way radios, flashlights, batteries, N95 respirator, Tyvek coveralls, variety of glove types/sizes to include chemical-resistant gloves, safety goggles, and/or glasses, shoe covers, trash bags, and first aid kit should be maintained at each facility, over the shoe boots. The Facility Manager is responsible for maintaining the kit.

2. Store emergency kits in easily accessible designated locations and safe from floodwaters in each of the six principal animal facilities, i.e., COM Rm 1363, ALZ Rm 034), PSY Rm 1203A, SRB Rm 20068, MDD Rm 730 and CAMLS Rm 145.

3. Staff can use their own rubber boots and rain gear as needed.

4. Medical supplies to treat animals are available at the COM Rm 1300A, ALZ Rm 034, SRB Rm 20205, MDD Rm 732A and CAMLS Rm 134.

5. If

courteously and tactfully directed to

Civil Disturbance
(Disgruntled Employee, Intruder/Trespasser)

Preparedness:

CMDC 034.25
EffectivedeEffRef06 0 Tf -2.006 Tw -6.42 Tw 8..42 w 1.1.16Tj 0.0386 Tcw 5.746 0 9 .96Tj 0.006 TctifactPchedMCID6TjTT1 1 Tf -0.006 TTJ 8.04 72 TJ

III. Operational Disasters – Operational disasters may include fires, utility failures (power, water, communications), and HVAC system failures. Operational disasters may occur independently or as a result of natural, technological, or security disasters. As a

Utility Failure – Electric Power, HVAC

Preparedness:

- Verify all animal care staff training on acceptable temperature ranges, reporting environmental fluctuations, and appropriate response procedures.
- Maintain contingency plans to ensure animals receive adequate care in the event of power loss or abnormal temperatures.
- Determine number of portable chillers and heaters required to maintain animal room temperatures during an HVAC emergency event.
- Maintain equipment list of items such as extension cords, flashlights, light trees, batteries, generators, walkie-talkies, portable space chillers, heaters, and fans.

Response:

- Manually check room temperature and humidity.
- Call the USF Physical Plant Service Center (813-974-2845: 24 hours/7 days a week). Include Moffitt ? Inform them that animal lives are at risk due to abnormal environmental conditions.
- Notify the Facility Manager immediately.
- tmessgv76(sh a T7 Tw6 Tc 0a(7)15nw 15.62 0 Td [(t)a6(t)-t8(.)]T,(r)4.99u(7)15nt(l)2.o Tc 0)-6(p(C7(o abn2(

Ensure adequate emergency water supplies are readily available (See "Calculating Minimum Water Requirements" for additional information.)

Response:

Restrict access to flooded areas. Even areas with small amounts of standing water should be avoided if at all possible due to the risk of electrical shock.
Turn off water valves.
Call the USF Physical Plant Service Center (813-974-2845: 24 hours/7 days a week);Moffitt?
Notify the Animal Facility Manager immediately.
Observe animal rooms for flooding or for potential of flooding. Take appropriate action to ensure cages/animals will not be exposed to contaminated and/or rising water.
Stop all use of water.
Do not flush toilets.
Do not dump any fluids down the drains.

Recovery:

Re-enter the area only upon clearance by Emergency Responder, Facility Management, or Supervisory personnel.

A. Emergency Contacts

1. If you discover a fire, remember R.A.C.E.

   - Remove any person endangered by the fire. Know the location of... exits, fire doors, fire alarm boxes and fire extinguishers.

   - Alert the local fire department immediately; activate alarm(s).

   - Contain the fire; close all doors/windows.

   - Extinguish the fire IF IT IS SAFE TO DO SO, and
     - The emergency telephone number 911 has been called.
     - Building alarm has been activated.
     - The fire is small.
     - You are sure you will not be injured.
     - You know how to use an extinguisher.

2. After notifying the fire department or other operational disasters, inform the Division Director, or Assistant Director.

3. Upon notification of an operational emergency the Division Director, or Assistant Director will contact the Clinical Veterinarians, the Facility Manager, Principal Investigators, USF Physical Plant, USF Public Affairs Office, and the division administrative staff as required.

4. Facility Managers will contact their respective ERT team members, animal care staff and local maintenance as needed.

12. Inventory animal populations. Initiate recovery of animals that have escaped.

13. The ERT Team Leader is responsible for briefing the Director, or Assistant Director as needed.

D. Persona l Protective Clothing and S upplies

1. Emergency kits containing a battery operated radio for information, a pair of two-way radios, flashlights, batteries, masks, Tyvek coveralls, gloves, shoe covers, trash bags, and first aid kit should be maintained at each facility. The Facility Manager is responsible for maintaining the emergency kit.

2. Medical supplies to treat animals are available at the COM Rm 1300A, ALZ Rm 034, SRB Rm 20205, MDD Rm 730 and CAMLS Rm 134.

3. Store emergency kits in easily accessible designated locations and safe from floodwaters in each of the six principal animal facilities (i.e., within COM Rm 1363, ALZ Rm 034 , PSY Rm 1203A, SRB Rm 20068, MDD Rm 732A and CAMLS Rm 145).

E. Animal Protective Measures

1. Animal care activ

IV. Technological Disasters – Technological disasters can include chemical, radiation, and biohazard spills. These can be further categorized as small (< 200 ml, < 500 micro curies) or large (> 200 ml, 500 micro curies) spills. Staff working in the facility can often clean up small spills. Large spills require additional specialized equipment and expertise. Environmental Health and Safety Office and/or Radiation Safety Office must be notified whenever a spill occurs. Biohazards include body fluids, blood, infectious waste, or other potentially infectious material. Chemical hazards include volatile anesthetics, acid compounds, caustic compounds, disinfectants, detergents, and chemical carcinogens. Radiation hazard exposure can be both external and internal.

Radiation Spill or Exposure

Biohazard Spill or Exposure

Preparedness

Ensure proper signage is posted in biohazard areas and lists PPE, handling, containment, and emergency response instructions.

Ensure biohazards are properly handled, and stored or contained.

Response:

Large Spill (>200ml):

Call Fire Department (911).

Immediately administer first aid to contaminated area or wound.

Advise personnel in the room/area of the spill to evacuate immediately.

Close windows and doors to the room/area of the spill and evacuate.

To minimize spreading contamination, exposed personnel should report to and remain in one safe location until the arrival of the Fire Department.

Small Spill (<200 ml):

Put on protective clothing (gloves, safety goggles or glasses, and lab coat).

Immediately administer first aid to contaminated area or wound.

Flush spilled material with a freshly made 1:10 dilution of bleach or povidone-iodine, and allow to sit for 30 minutes.

Wipe down all equipment and surfaces potentially contaminated.

Dispose of contaminated material as biohazardous waste.

Wash hands with soap and warm water.

Notify the immediate supervisor and the Institutional Biosafety Officer at 813-974-0954.

Strange Odor

Preparedness:

Do not assume that odors are non-hazardous material. Strange odors could be from a fire or a hazardous materials spill in a nearby lab. Never assume someone else has reported it

Call the Fire Department (911).

Electrical Odor or Burning Odor with No Sign of Smoke:
Call the Fire Department (911).

Recovery:
Re-enter the area only upon clearance by Fire Department/Fire Chief.
Perform triage of animals to determine most appropriate course of action, i.e., relocation within facility, euthanasia, evacuation.
Report the animal program status to supervisor.

A. Emergency Contacts

1. When a chemical, radiation, or biohazard spill occurs, small or large, notify the Division Director or Assistant Director immediately.

2. Upon notification of a hazardous spill, the Division Director, or Assistant Director will contact the Facility

2. Evacuate, in an orderly manner, the room or area where the spill occurred. After leaving the facilities, ERT members will reassemble at a specific point/location (muster station) that has been pre-determined and designated by the Facility Manager/Team Leader. Do not re-enter the facility until declared safe by emergency personnel. The Team Leader will verify that all personnel are out of the building.

3. Ensure human casualties receive medical treatment.

4. Isolate personnel who have been exposed.

5. Coordinate with Fire Department, Radiation Safety, and Environmental Health and Safety personnel concerning any additional specifically required containment and decontamination measures.

6. Triage, treat, or euthanatize animals, as required, without endangering personnel.

7. Ensure a healthy and clean environment for animals.

8. Coordinate relocation efforts to provide a safe environment for animals.

9. Ensure contaminated materials, including deceased animals, are disposed of properly.

10. The ERT Team Leader is responsible for briefing the Director, and Assistant Director as needed.

D. Personal Protective Clothing and S upplies

The following clothing and supplies should be maintained at all facilities:

1. Chemical resistant gloves, safety goggles or glasses, masks, lab coat, Tyvek coveralls, rubber boots and/or shoe covers.

2. Paper towels and/

V. Pandemic Disasters – A pandemic disaster could result from infectious diseases that pose a threat to the community at large. If there is an outbreak of infectious disease that threatens the University of South Florida, University officials (i.e., Emergency Management and elected Tasks Forces) will collaborate with State and National officials to determine the best course of action regarding operations at the University. The University will adhere to the provisions of the PHS Policy, the Guide, and the commitments detailed in the Animal Welfare

4. Divisional personnel may be reassigned to another facility(ies) to ensure adequate staffing.

C.

2. The USF Public Affairs Office will coordinate the dissemination of information with local facility public affairs offices.

3. Individuals should not talk to the public or the media except as authorized by the USF Public Affairs Office and, preferably, with a public affairs rep(a)10dg[32(s)-2n(a)10.5(t)-6.a5

VI. Animal Evacuation Plan – All movement must be approved by a Director (or designee). If it becomes necessary to move animals from their secure housing facility, the following selection order will be used:

- Transgenic Founder (Breeding) Animals
- Post-Operative and Debilitated Animals
- Dogs, Cats, Rabbits & Livestock
- Experimental Rodents (Non-Biohazardous)
- Aquatics
- Other Animals

VII. Calculating Minimum Water Requirements

Preparedness:

Animal drinking water estimation should be performed periodically.
Use the average facility census to allow management to conduct proactive planning for water supplies and logistics.
Adjustments up or down can then be made after an actual water emergency has occurred.

Calculations:

To figure the daily drinking water needs for gravity or pump administered water:

1. Count the number of animals in the building for each species.
2. Multiply by the approximate total number of each species by the approximate average daily water consumption by that species.

   Average daily water consumption by species:
   Mice - 6.7 ml per adult (225 ml/kg)
   Rat - 45 ml per adult (80 – 110 ml/kg)
   Hamster - approximately 15 ml per adult (14 ml/100 gm)
   Rabbit - 400ml per adult (100 ml/kg)
   Guinea Pigs - 90 ml per adult (100ml/kg)
   Cats - 300 ml per adult
   Nonhuman Primate - 600 ml per adult
   Large animals (rule of thumb - 30 ml or 1 oz per pound per day)
3. Add the total average daily water by species. This equals the total volume of water in milliliters required per day for the entire facility.
   Example:
   - There are 1,000 cages of mice (5 per cage), and 100 cages of rats (3 per cage) in the facility.
   - (5 mice/cage x 1,000 cages x 6.7 ml/mouse) + (3 rats/cage x 100 cages x 45 ml/rat) = 47,000 ml = 47 liters = 12.41 gallons (There are 3,785 ml/gallon.)
4. The volume of the water in the supply lines must be determined if the water failure results in facility supply lines being drained. This volume must be calculated and adequate water made available to fill the lines. This volume would usually be needed to add to the total needed only one time in emergency situations.
   Note: One cubic centimeter equals the same volume as 1 ml of water, 3,785 ml = 1 Gallon, Pi = 3.14, and radius = diameter divided by 2
   The formula for calculating volume for a water line = Pi x radius of the pipe squared x length of the pipe. Remember, 1 cubic centimeter (cc) = 1 ml, so working in centimeters will make for easy conversion. For example, to determine the volume in a water line 1.6 cm in diameter 100 meters long: Pi = 3.14, the radius would be ½ the diameter or .8cm, and the length is 10,000 cm. Therefore, the calculations are: 3.14 x (0.8cm) x (0.8 cm) x 10,000 cm = 10,096 cc or 5.3 gallons.
5. Add to this amount, the value from number 3.
6. It may be useful to multiply the total amount calculate by 2 to account for varying rates of use and waste.

   Reference: Laboratory Animal Medicine 3rd edition; Fox, J.G., et al

VIII. Euthanasia Guidance for Disaster Events

The decision to euthanatize animals and the selection of appropriate euthanasia methods requires careful consideration in all scenarios, but the urgency of these decisions is heightened in disaster-related events. Disaster events in a research animal setting often cause the loss of room access, environmental control, or safe working conditions which limit animal care and veterinary service support options. Euthanatizing injured or distressed research animals in these situations may be the only way to relieve animal pain and suffering. Direction in this situation is frankly stated in the following excerpt from the 8th Edition of the Guide for Laboratory Animal Care and Use: "*Animals that cannot be relocated or protected from the consequences of the disaster must be humanely euthanized."*

The AVMA Guidelines for the Euthanasia of Animals: addresses disaster-related instances where deviations from standard euthanasia methods are necessitated with the following statement: "Alternate methods with fewer conditions and disadvantages are recommended where feasible." (see page 57,58)
Euthanasia may be the only management option available to alleviate pain or distress in the aftermath of an animal facility disaster.

The identification, selection, and application of a method of euthanasia which minimizes or removes both human and animal health concerns rests in the professional judgment of the Comparative Medicine Division Director or their agent, e.g. Clinical Veterinarians.

In a disaster scenario, human safety, the animal species, and the urgency to relieve animal pain and distress outweigh study considerations such as data gathering, sample collection, and experimental endpoints. Consequently, the euthanasia method for a set of study animals based on experimental priorities may not be the appropriate euthanasia method to use on the same set of animals in a disaster event.

Disaster euthanasia decisions addressing the management of a large population of research animals following a facility disaster or emergency, rest with the Comparative Medicine Division Director. Depending on the type of disaster or emergency, the nature of the animal injuries and the amount of available time; the decision to euthanize a large population of research animals for health and welfare issues should first be communicated to the Office of the Vice President for Research and Innovation. In the event that BSL-2 or BSL-3 animals must be euthanized, the USF Biosafety Officer should also be notified.

Disaster euthanasia resources required to conduct a large scale euthanasia procedure include personnel proficient or trained in the selected euthanasia method, specialized equipment, specific euthanasia drugs and materials, approved carcass disposal methods and carcass storage locations, and approved animal and carcass transportation assets. Several Federal Agencies possess Emergency Animal Care teams and/or resources capable of supporting large-scale euthanasia operations. These Federal Agencies may be able to supply euthanasia resources if requested by the University. Federal Agencies with animal euthanasia resources are the: Department of Health and Human Services, Federal Emergency Management Agency,